

International Society

[redacted]

Guidance: See also radiopharmaceutical preparation quality assurance and safety NM14.0 for additional requirements.

Guidance: Radiopharmaceutical therapy includes theranostic procedures.

Guidance: See DPS4.0 for additional requirements.

Guidance: See also patient and client focus DPC3.4.

Guidance: A care plan is a carefully prepared outline of nursing care which identifies all of the patient's needs during the procedure and how to address those needs.

Guidance: Supervision means that the physician is immediately available to provide assistance and direction throughout the performance of the procedure and respond to adverse events. The method of supervision is identified (PET3.6.13) and can include remotely by phone, in room monitoring or by other means as approved by the medical director.

Guidance: The medical director reviews the risks associated with the procedure 8 Tf1e

International Society

Guidance: See also equipment and supplies DES3.0 for additional requirements.

Guidance: Protocols identify when laminar flow (e.g. shielded BSC) is required.

Guidance: In some instances, radiopharmaceuticals may not be prepared according to manufacturers' specifications if a recognized precedent has been established and there is documentation to validate product stability.

Guidance: For 99Mo/99mTc04 radionuclide generators apply NM14.3

Guidance: This includes commercially prepared unit-administered activities.

Guidance: The radiopharmaceutical name or unique identifier must be included on the label.