

Accessibility,



No.	Des	scription	Reference	Risk	Change
AOM1.2.4	M	Staff changing facilities are provided. Guidance: There is an area for staff to change from street clothing into appropriate work attire. CSA Z8000-18 does not specify a minimum net area for a change room. Should a newer edition of CSA Z8000 specify a minimum net area in future, then the most current edition of CSA Z8000 shall apply. The changing facilities must be sufficiently sized for the volume of people that need to use this area, the size and placement of lockers (purse, half, full) and the storage of clean attire (e.g. scrubs, PPE). The staff changing room includes change cubicles, washroom facilities and shower facilities.	1, 3	M	
AOM1.2.5	Μ	Scrub sinks			



Accessibility, Operations and Maintenance
Document ID: 12236 Version: 1.1 Publication date: 2024-11-06

No.	De	scription	Reference	Risk	Change
AOM1.3.7	M	The governing body receives annual reports related to the facility's condition and maintenance needs. Guidance: The report should outline the facility's current condition, any current issues and the forecasting of issues, risks and or potential impacts to the safety of patients, staff and visitors, and if needed, recommendations and prioritization of issues.	2	М	NEW
AOM1.3.8	М	There is a process to manage and prioritize the replacement or upgrade of the facility's surfaces, finishes, fixtures, fittings and furnishings.	2	М	NEW
AOM1.3.9	В	The base-building walkways, parking areas, corridors, lobby and elevators appear to be in good repair.	2		NEW
AOM1.3.10	М	The facility's interior walls, floors, ceilings and architectural finishes appear to be in good repair	2	М	NEW
AOM1.3.11	Μ	The facility's fixtures, fittings and furnishings appear to be in good repair.	2	М	NEW

