Copyright © 202 4 by the Non-Hospital Medical and Surgical Facilities Accreditation Program and the College of Physicians and Surgeons of British Columbia.

All .17 Tm 0 g 0 G8oo Tm 0 g C Q Q s0[ 08. ( 202)] TJ ET Q q6ill 0.000011802 0 792 612 re W* n BT /F1 8 Tf 1 0 0 1 396.08 37.875 Tm

| No. | | Description |
|---|---|---|
| ANES1.0 | | ANESTHESIA |
| ANES1.1 | | Anesthesia providers ensure the patient is appropriate for an anesthetic in a non-hospital facility. |
| ANES1.1.1 | M | Preoperative anesthetic consultations are conducted when clinically indicated. |
| ANES1.1.2 | M | The anesthesiologist providing the anesthesia performs a pre -anesthetic assessment of the patient in the immediate preoperative period. |
| ANES1.2 | | Anesthesia staffing supports safe patient care and promotes a safe procedural environment. |
| ANES1.2.1 | M | A head of anesthesia organizes and directs the anesthesia services. |

ANES1.4.1

No.

| No. | Description | |
|---|---|---|
| ANES1.6.5 | M | The labelling of medication storage space on the anesthesia cart is standardized. |
| ANES1.6.6 | M | Medications on the anesthesia cart are within their labeled expiry date. |
| ANES1.6.7 | M | Multi-dose vials are marked with the first entry date. |
| ANES1.6.8 | M | Multi-dose vials are discarded within seven days of opening. |
| ANES1.6.9 | M | High |

| No. | | Description |
|---|---|---|
| ANES1.7.5 | M | Airway management equipment includes oral endotracheal tubes. |

| No. | Description | |
|---|---|---|
| ANES1.10.1 | M | All medications and solutions are labelled with the medication name and strength. |
| ANES1.10.2 | M | Medication syringes are immediately labeled one at a time before preparing the next. |
| ANES1.10.3 | M | Anesthesia instruments, equipment, supplies and recycling/garbage are kept separate from surgical instruments, equipment, supplies and recycling/garbage. |
| ANES1.10.4 | M | Anesthesiologists do not use counted items. |
| ANES1.10.5 | M | The anesthesiologist communicates to the perioperative team when items are inserted in the oropharynx. |

| No. | | Description |
|---|---|---|
| ANES1.12.3 | M | Anesthesiologists receive training in the use of all anesthesia equipment. |
| ANES1.12.4 | M | [redacted] |

| No. | Description | |
|---|---|---|
| ANES1.13.6 | M | There is policy and procedures for fast-tracking to phase II. |
| ANES1.13.7 | M | There is policy and procedures for the pre-anesthesia checklist. |
| ANES1.13.8 | M | There is policy and procedures for anesthesia equipment management. |

## References

American Society of Anesthesiologists, Committee on Ambulatory Surgical Care. Guidelines for ambulatory anesthesia and surgery [Internet]. Schaumburg, IL: American Society of Anesthesiologists; 2003 [amended 2013 Oct 16; cited 2018 Jul 25].

American Society of Anesthesiologists, Committee on Standards and Practice Parameters. Statement on nonoperating room anesthetizing locations [Internet]. Schaumburg, IL: American Society of Anesthesiologists; 1994 [amended 2013 Oct 13; cited 2018 Jul 20].

American Society of Anesthesiologists Task Force on Management of the Difficult Airway. Practice guidelines for management of the difficult airway: an updated report by the American Society of Anesthesiologists Task Force on Management of the Difficult Airway. Anesthesiology [Internet]. 2013 Feb [cited 2018 Jul 25];118(2):251-70.

American Society of Anesthesiologists Task Force on Perioperative Management of patients with obstructive sleep apnea. Practice guidelines for the perioperative management of patients with obstructive sleep apnea: an updated report by the American Society of Anesthesiologists Task Force on Perioperative Management of patients with obstructive sleep apnea. Anesthesiology [Internet]. 2014 Feb [cited 2018 Jul 25];120(2):268-86.

American Society of Anesthesiologists Task Force on Postanesthetic Care; Committee on Standards and Practice Parameters. Practice guidelines for postanesthetic care: an updated report by the American Society of Anesthesiologists Task Force on Postanesthetic Care. Anesthesiology [Internet]. 2013 Feb [cited 2018 Jul 31];118(2):291-307.

American Society of Anesthesiologists Task Force on Preanesthesia Evaluation; Committee on Standards and Practice Parameters. Practice advisory for preanesthesia evaluation: an updated report by the American Society of Anesthesiologists Task Force on Preanesthesia Evaluation.

Anesthesiology [Internet]. 2012 Mar [cited 2018 Jul 20];116(3):522-38.

Association of periOperative Registered Nurses (AORN). Guidelines for perioperative practice 2018 edition. Denver. Co: AORN; 2018. Guideline for team communication; p. 745-72.

Association of periOperative Registered Nurses (AORN). Guidelines for perioperative practice 2018 edition. Denver. Co: AORN; 2018. Guideline for prevention of retained surgical items; p. 367-412.

Biro P, Priebe HJ. Staged extubation strategy: is an airway exchange catheter the answer? Anesth Analg. 2007 Nov;105(5):1182-5.

Chung F, Abdullah HR, Liao P. STOP-Bang questionnaire: a practical approach to screen for obstructive sleep apnea. Chest. 2016 Mar;149(3):631-8.