

Copyright © 2024 by the Non-Hospital Medical and Surgical Facilities Accreditation Program and the College of Physicians and Surgeons of British Columbia.

All rights reserved. No part of this publication may be used, reproduced or transmitted, in any form or by any means electronic, mechanical, photocopying, recording or otherwise, or stored in any retrieval system or any nature, without the prior written permission of the copyright holder, application for which shall be made to:

Non-Hospital Medical and Surgical Facilities Accreditation Program College of Physicians and Surgeons of British Columbia 300 669 Howe Street Vancouver BC V6C 0B4

The Non-Hospital Medical and Surgical Facilities Accreditation Program and the College of Physicians and Surgeons of BC has used their best efforts in preparing this publication. As websites are constantly changing, some of the website addresses in this publication may have moved or no longer exist.

Patient injury can result from fluids and blankets being warmed to high temperature and the risk of burns is increased in the perioperative setting because patients under anesthesia cannot feel an increase in temperature and may not be able to communicate discomfort.



Fluid and Blanket Warming Version: 1.3 Publication date: 2024-11-21

Document ID: 10804

WARM1.1.4



Fluid and Blanket Warming Version: 1.3 Publication date: 2024-11-21

Document ID: 10804

College of Physicians and Surgeons of British Columbia